

# **Oberlin College**

## **Annual Fire Safety Report**

### **2023**

*The information and statistics contained herein are being presented to the Oberlin College community in compliance with Fire Safety Procedures, Statistics, Reports and Documentation requirements of The Higher Education Opportunity Act (Public Law 110-315) (HEOA), enacted August 14, 2008. It joins the Oberlin College Annual Security Report, complying with The Jeanne Clery Disclosure of Campus Security Policy and Campus Crime Statistics Act. Oberlin College publishes both reports on the web at [Campus Safety](#) and in brochure format. Paper copies of each are available for individuals to pick up at the Office of Campus Safety, 140 West College Street, Suite C, Oberlin, OH 44074, or, to have a copy mailed to you, send a written request to the Office of Campus Safety by interoffice mail, or by email to [Dave.Bender@oberlin.edu](mailto:Dave.Bender@oberlin.edu). You may also make the request by phone: (440) 775-8444.*

### **Oberlin College Campus Safety Office**

**140 West College Street, Suite C**

**Oberlin, Ohio 44074**

**Emergency Line: 440-775-8911**

**Emergency (Police, Fire, Ambulance): 911**

(Call goes directly to County Emergency Services, not through Oberlin College Campus Safety)

College Extension: 58911

**Service Number (Non Emergency) 440-775-8444**

College Extension: 58444

## **Procedures for Reporting Fires on Campus**

Fire incidents, fires, fire alarms, suspected incidents that could turn into a fire, and suspicious activities should be reported in a timely manner to the Campus Safety office, 140 W. College St. Suite C, in person or by telephone to campus ext. 58911. The Campus Safety office can be dialed from most telephones on campus and may be reached from campus emergency “blue light” phones by activating the call button. College Village Housing and 137 Elm Street Housing must dial 775-8911. Cellular telephones should include the local area code, (440) 775-8911.

Most campus buildings have fire alarm systems that activate upon detection of circumstances interpreted to be related to fire detection. If a fire alarm is not already sounding, occupants should activate the nearest fire alarm pull station, usually located adjacent to the exits.

Emergencies on campus may also be reported directly to the Lorain County 9-1-1 System by dialing 911 from your campus telephone. The countywide emergency 911 service will directly contact fire, law enforcement, or emergency medical services, who may request assistance from the office of Campus Safety. This service is not available when using the campus emergency "Blue Light" telephone system, and there is no automatic notification to the Campus Safety office through the county 911 system.

For purposes of including a fire in the statistics in the Annual Fire Safety report, students and employees should report all fires, even those that have been extinguished, or are being reported “after the fact” to the Office of Campus Safety, or to the Director or Assistant Director of Campus Safety directly.

### **General Description of On-Campus Housing Facilities Fire Safety Systems, Monitoring, and Response**

The Oberlin College fire alarm system in service for on-campus student residential halls complies with the National Fire Protection Association (NFPA) 72 Chapter 6 through a microprocessor-based fire alarm system. The system sounds an alarm at the protected premises due to the manual operation of a fire alarm box (pull station) or the operation of protection equipment or systems, such as water flowing in a sprinkler system, the detection of smoke, or the detection of heat. The activation of an alarm (change of status of the initiating device) is communicated in accordance with NFPA 72 Chapter 8 via the public switched telephone network to a contracted central station monitoring service, whose servers and operators, upon receipt of the signal, take action as required by NFPA 72, including notification to the Lorain County Emergency 911 System, which in turn dispatches municipal fire department services (Oberlin Fire Department) to respond to the location of the alarm.

Oberlin College Campus Safety Communication Officers, located on campus at 140 West College Street, Suite C, receive notification on-premises at the Campus Safety office for residential hall

fire alarms through a microprocessor-based portal and communicate a multiplex designated building zone or specific addressable alarm location to the Lorain County Emergency 911 system and to on-duty Campus Safety Officers. Communication officers also dispatch Campus Safety Officers in response to a notification from the monitoring service of alarms, trouble alarms, and supervisory alarms affecting College Village Housing units on Union and Goldsmith Streets (Union Street Housing), at 36 South Pleasant (Firelands), and at 137 Elm Street, or in response to community member reports of fire alarms or fire-related incidents. Campus Safety Officers respond to the fire alarm or incident location to assist Oberlin Fire Department in accessing buildings or locations and provide information to the firefighters as needed. Campus Safety Officers confirm the evacuation of known persons affected by the alarm, communicate with and respond to the college community members affected by the fire alarm, and activate any On-Call System notification within the college according to situational requirements.

When information is received that a stand-alone fire alarm was activated or fire-related incidents have occurred in any of the college’s Village Housing Units, the Campus Safety Communication Officers will notify the Lorain County Emergency 911 System. 911 operators will dispatch the Oberlin Fire Department to the scene of the alarm or incident. Campus Safety Officers are sent to the scene to assist as necessary. Residents of College Village Housing may also call the Lorain County Emergency 911 System directly to report their fire or fire alarm activation.

**Description of Fire Safety Systems for Each On-Campus Housing Facility**

| <b>R-2 Residential Halls</b>             | <b>Fire Alarm Type</b> | <b>Audible /Visual Alarm</b> | <b>Heat/Smoke Detection</b>                 | <b>Manual Fire Alarm (Pull Station)</b> | <b>Sprinkler System</b> | <b>Cooking Hoods</b> | <b># Fire Drills Calendar Year 2022</b> |
|--|------------------------|------------------------------|---|---|-------------------------|----------------------|---|
| <b>Allencroft</b><br>134 South Professor | Address-able Panel     | Both                         | Residential Rooms, Mechanical, Common Areas | Yes                                     | No                      | No                   | 4                                       |

| <b>R-2 Residential Halls</b>                            | <b>Fire Alarm Type</b> | <b>Audible /Visual Alarm</b> | <b>Heat/Smoke Detection</b>                     | <b>Manual Fire Alarm (Pull Station)</b> | <b>Sprinkler System</b>        | <b>Cooking Hoods</b> | <b># Fire Drills Calendar Year 2022</b> |
|---|------------------------|------------------------------|---|---|--------------------------------|----------------------|---|
| <b>Asia House</b> (Quadrangle)<br>40 West Lorain Street | Address-able Panel     | Both                         | Residential Rooms, Mechanical, and Common Areas | Yes                                     | Wet Pipe Water Flow Protection | 1                    | 4                                       |
| <b>Bailey House</b><br>208 North Professor Street       | Address-able Panel     | Both                         | Residential Rooms, Mechanical, and Common Areas | Yes                                     | No                             | 1                    | 4                                       |
| <b>Baldwin Cottage</b><br>30 South Professor Street     | Address-able Panel     | Both                         | Residential Rooms, Mechanical, and Common Areas | Yes                                     | Wet Pipe Water Flow Protection | 1                    | 4                                       |
| <b>Barnard House</b><br>148 North Professor             | Address-able Panel     | Both                         | Residential Rooms, Mechanical, and Common Areas | Yes                                     | No                             | No                   | 4                                       |

| <b>R-2 Residential Halls</b>              | <b>Fire Alarm Type</b> | <b>Audible /Visual Alarm</b> | <b>Heat/Smoke Detection</b>                     | <b>Manual Fire Alarm (Pull Station)</b> | <b>Sprinkler System</b>        | <b>Cooking Hoods</b> | <b># Fire Drills Calendar Year 2022</b> |
|---|------------------------|------------------------------|---|---|--------------------------------|----------------------|---|
| <b>Barrows Hall</b><br>145 Woodland       | Multiplex Panel        | Both                         | Residential Rooms, Mechanical, and Common Areas | Yes                                     | No                             | No                   | 4                                       |
| <b>Burton Hall</b><br>194 North Professor | Address-able Panel     | Both                         | Residential Rooms, Mechanical, and Common Areas | Yes                                     | Wet Pipe Water Flow Protection | 2                    | 4                                       |
| <b>Dascomb Hall</b><br>140 West College   | Address-able Panel     | Both                         | Residential Rooms, Mechanical, and Common Areas | Yes                                     | No                             | 3                    | 4                                       |
| <b>East Hall</b><br>176 North Professor   | Address-able Panel     | Both                         | Residential Rooms, Mechanical, and Common Areas | Yes                                     | No                             | 0                    | 4                                       |
| <b>Fairchild House</b><br>93 Elm Street   | Address-able Panel     | Both                         | Residential Rooms, Mechanical, and Common Areas | Yes                                     | No                             | 1                    | 4                                       |

| <b>R-2 Residential Halls</b>                      | <b>Fire Alarm Type</b> | <b>Audible /Visual Alarm</b> | <b>Heat/Smoke Detection</b>                     | <b>Manual Fire Alarm (Pull Station)</b> | <b>Sprinkler System</b>        | <b>Cooking Hoods</b> | <b># Fire Drills Calendar Year 2022</b> |
|---|------------------------|------------------------------|---|---|--------------------------------|----------------------|---|
| <b>Firelands</b><br>136 South Pleasant            | Address-able Panel     | Both                         | Residential Rooms, Mechanical, and Common Areas | Yes                                     | Wet Pipe Water Flow Protection | 67                   | 4                                       |
| <b>Harkness House</b><br>113 West College         | Address-able Panel     | Both                         | Residential Rooms, Mechanical, and Common Areas | Yes                                     | No                             | 1                    | 4                                       |
| <b>Harvey House</b><br>96 South Professor Street  | Address-able Panel     | Both                         | Residential Rooms, Mechanical, and Common Areas | Yes                                     | Wet Pipe Water Flow Protection | 1                    | 4                                       |
| <b>Johnson House</b><br>216 South Professor       | Address-able Panel     | Both                         | Residential Rooms, Mechanical, and Common Areas | Yes                                     | Wet Pipe Water Flow Protection | 0                    | 4                                       |
| <b>Kade (German House)</b><br>104 South Professor | Address-able Panel     | Both                         | Residential Rooms, Mechanical, and Common Areas | Yes                                     | Wet Pipe Water Flow Protection | 1                    | 4                                       |

| <b>R-2 Residential Halls</b>                   | <b>Fire Alarm Type</b> | <b>Audible /Visual Alarm</b> | <b>Heat/Smoke Detection</b>                     | <b>Manual Fire Alarm (Pull Station)</b> | <b>Sprinkler System</b>        | <b>Cooking Hoods</b> | <b># Fire Drills Calendar Year 2022</b> |
|--|------------------------|------------------------------|---|---|--------------------------------|----------------------|---|
| <b>Kahn Hall</b><br>169 North Professor Street | Address-able Panel     | Both                         | Residential Rooms, Mechanical, and Common Areas | Yes                                     | Wet Pipe Water Flow Protection | 1                    | 4                                       |
| <b>Keep Cottage</b><br>154 North Main Street   | Address-able Panel     | Both                         | Residential Rooms, Mechanical, and Common Areas | Yes                                     | Wet Pipe Water Flow Protection | 1                    | 4                                       |
| <b>Langston Hall</b><br>95 Union Street        | Address-able Panel     | Both                         | Residential Rooms, Mechanical, and Common Areas | Yes                                     | Wet Pipe Water Flow Protection | 0                    | 4                                       |
| <b>Lord-Saunders</b><br>126 Forest Street      | Address-able Panel     | Both                         | Residential Rooms, Mechanical, and Common Areas | Yes                                     | Wet Pipe Water Flow Protection | 2                    | 4                                       |

| <b>R-2 Residential Halls</b>                     | <b>Fire Alarm Type</b> | <b>Audible /Visual Alarm</b> | <b>Heat/Smoke Detection</b>                     | <b>Manual Fire Alarm (Pull Station)</b> | <b>Sprinkler System</b>        | <b>Cooking Hoods</b> | <b># Fire Drills Calendar Year 2022</b> |
|--|------------------------|------------------------------|---|---|--------------------------------|----------------------|---|
| <b>Noah Hall</b><br>167 Woodland Street          | Address-able Panel     | Both                         | Residential Rooms, Mechanical, and Common Areas | Yes                                     | Wet Pipe Water Flow Protection | 2                    | 4                                       |
| <b>Old Barrows</b><br>207 South Professor Street | Address-able Panel     | Both                         | Residential Rooms, Mechanical, and Common Areas | Yes                                     | No                             | 1                    | 4                                       |
| <b>Price</b><br>100 Forest Street                | Address-able Panel     | Both                         | Residential Rooms, Mechanical, and Common Areas | Yes                                     | Wet Pipe Water Flow Protection | 1                    | 4                                       |
| <b>South Hall</b><br>121 Elm Street              | Address-able Panel     | Both                         | Residential Rooms, Mechanical, and Common Areas | Yes                                     | No                             | 3                    | 4                                       |



| <b>R-2 Residential Halls</b>                    | <b>Fire Alarm Type</b> | <b>Audible /Visual Alarm</b> | <b>Heat/Smoke Detection</b>                     | <b>Manual Fire Alarm (Pull Station)</b> | <b>Sprinkler System</b>        | <b>Cooking Hoods</b> | <b># Fire Drills Calendar Year 2022</b> |
|---|------------------------|------------------------------|---|---|--------------------------------|----------------------|---|
| <b>Talcott Hall</b><br>2 South Professor Street | Address-able Panel     | Both                         | Residential Rooms, Mechanical, and Common Areas | Yes                                     | Wet Pipe Water Flow Protection | 1                    | 4                                       |
| <b>Tank Hall</b><br>110 East College Street     | Address-able Panel     | Both                         | Residential Rooms, Mechanical, and Common Areas | Yes                                     | Wet Pipe Water Flow Protection | 1                    | 4                                       |
| <b>Zechiel House</b><br>207 Woodland Street     | Address-able Panel     | Both                         | Residential Rooms, Mechanical, and Common Areas | Yes                                     | No                             | 0                    | 4                                       |

**2022 Apartment Style Housing Units**

**No fire drills were done at these locations**

| <b>College Village<br/>Apartment Style<br/>Housing</b> | <b>Fire Alarm<br/>Type</b> | <b>Audible<br/>Visual<br/>Alarm</b> | <b>Heat/Smoke<br/>Detection</b><br>HW—Hard<br>Wired<br>B—Battery<br>Operated | <b>Manual<br/>Fire<br/>Alarm<br/>(Pull<br/>Stations)</b> | <b>Sprinkler<br/>System</b> | <b>Cooking<br/>Hoods</b> | <b># of Fire<br/>Extinguishers<br/>Provided</b> |
|--|----------------------------|-------------------------------------|--|--|-----------------------------|--------------------------|---|
| 20 East Lorain   | Stand alone                | Audible                             | HW-2, B-3  | No   | No                          | No                       | 1 (Kitchen)                                     |
| 22 East Lorain   | Stand alone                | Audible                             | HW-2, B-3  | No   | No                          | No                       | 1 (Kitchen)                                     |
| 61 East Lorain   | Stand alone                | Audible                             | B-5  | No   | No                          | No                       | 1 (Kitchen)                                     |
| 68 Elmwood Place                                       | Stand alone                | Audible                             | B-1  | No   | No                          | No                       | 1 (Kitchen)                                     |
| 75 Elmwood Place<br># 2                                | Stand alone                | Audible                             | B-1  | No   | No                          | No                       | 1 (Kitchen)                                     |
| 83 Elmwood   | Stand alone                | Audible                             | B1   | No   | No                          | No                       | 1 (Kitchen)                                     |
| 84 Elmwood   | Stand alone                | Audible                             | HW-1, B-1  | No   | No                          | No                       | 1 (Kitchen)                                     |
| 137 Elm  | Addressable<br>Panel       | Audible<br><br>Strobe<br>visual     | HW-36  | Yes  | No                          | No                       | 1 (Kitchen)                                     |
| 140 Elm  | Stand alone                | Audible                             | HW - 2, B-1  | No   | No                          | No                       | 1 (Kitchen)                                     |
| 148/150 Elm  | Monitored<br>Addressable   | Audible                             | HW—25  | 4 PS   | No                          | No                       | 1 in each<br>(Kitchen)                          |
| 37 Elmwood Place                                       | Stand alone                | Audible                             | B-4  | No   | No                          | No                       | 1 (Kitchen)                                     |
| 15 North Cedar   | Stand alone                | Audible                             | HW-1, B-4  | No   | No                          | No                       | 1 (Kitchen)                                     |
| 29 North Cedar   | Stand alone                | Audible                             | HW - 1, B-1  | No   | No                          | No                       | 1 (Kitchen)                                     |
| 35 North Cedar   | Stand alone                | Audible                             | B-10   | No   | No                          | No                       | 1 (Kitchen)                                     |

|                             |                                    |                              |                    |    |    |    |             |
|-----------------------------|------------------------------------|------------------------------|--------------------|----|----|----|-------------|
| 45 North Cedar              | Stand alone                        | Audible                      | B-10 / B-8         | No | No | No | 1 (Kitchen) |
| 51 North Cedar              | Stand alone                        | Audible                      | B-8                | No | No | No | 1 (Kitchen) |
| 69 North Cedar              | Stand alone                        | Audible                      | B-6                | No | No | No | 1 (Kitchen) |
| 78 South Professor          | Integrated                         | Audible;                     | Smoke<br>Detectors | No | No | No | 1 (Kitchen) |
| 148 South Professor         | Stand alone                        | Audible                      | HW-1, B-9          | No | No | No | 1 (Kitchen) |
| 195 North Professor         | Integrated<br>Wired<br>Stand-alone | Audible;<br>Strobe<br>visual | HW-8               | No | No | No | 1 (Kitchen) |
| 201 North Professor         | Stand alone                        | Audible                      | HW-6, B-1          | No | No | No | 1 (Kitchen) |
| 258 North Professor         | Stand alone                        | Audible                      | HW-4               | No | No | No | 1 (Kitchen) |
| 270 North Professor         | Stand alone                        | Audible                      | HW-6, B-1          | No | No | No | 1 (Kitchen) |
| 284 North Professor         | Stand alone                        | Audible                      | HW-3, B-3          | No | No | No | 1 (Kitchen) |
| 135 West College            | Stand Alone                        | Audible                      | B-1                | No | No | No | 1 Kitchen   |
| 136 West College            | Stand alone                        | Audible                      | B-2                | No | No | No | 1 Kitchen   |
| 129 West College            | Stand alone                        | Audible                      | B-8                | No | No | No | 1 (Kitchen) |
| 186 West College<br>#1 & #2 | Stand alone                        | Audible                      | B-11               | No | No | No | 1 (Kitchen) |
| 190 West College            | Stand alone                        | Audible                      | B-1                | No | No | No | 1 (Kitchen) |
| 200 West College            | Stand alone                        | Audible                      | HW-2, B-5          | No | No | No | 1 (Kitchen) |
| 152 West Lorain             | Stand alone                        | Audible                      | B-9                | No | No | No | 1 (Kitchen) |
| 158 West Lorain             | Stand alone                        | Audible                      | B-8                | No | No | No | 1 (Kitchen) |
| 197 West Lorain             | Stand alone                        | Audible                      | B-6                | No | No | No | 1 (Kitchen) |

|                                |                                    |                              |            |    |    |    |             |
|--------------------------------|------------------------------------|------------------------------|------------|----|----|----|-------------|
| 108 Woodland                   | Stand alone                        | Audible                      | HW-6       | No | No | No | 1 (Kitchen) |
| 116 Woodland                   | Stand alone                        | Audible                      | HW-2, B-6  | No | No | No | 1 (Kitchen) |
| 124 Woodland                   | Integrated<br>Wired<br>Stand-alone | Audible;<br>Strobe<br>visual | HW-6       | No | No | No | 1 (Kitchen) |
| 136 Woodland                   | Stand alone                        | Audible                      | HW-1, B-1  | No | No | No | 1 (Kitchen) |
| 142 Woodland                   | Stand alone                        | Audible                      | HW-3, B-1  | No | No | No | 1 (Kitchen) |
| 148 Woodland                   | Stand alone                        | Audible                      | HW-7, B-3  | No | No | No | 1 (Kitchen) |
| 152 Woodland                   | Integrated<br>Wired<br>Stand-alone | Audible;<br>Strobe<br>visual | HW-11      | No | No | No | 1 (Kitchen) |
| 160 Woodland                   | Stand alone                        | Audible                      | B-6, HW-1  | No | No | No | 1 (Kitchen) |
| 166 Woodland                   | Stand alone                        | Audible                      | B-6        | No | No | No | 1 (Kitchen) |
| 170 Woodland                   | Integrated<br>Wired<br>Stand-alone | Audible;<br>Strobe<br>visual | HW-7       | No | No | No | 1 (Kitchen) |
| 184 Woodland                   | Stand alone                        | Audible                      | HW-2, B-1  | No | No | No | 1 (Kitchen) |
| 190 Woodland                   | Stand alone                        | Audible                      | HW-11, B-1 | No | No | No | 1 (Kitchen) |
| 64 East College # 2            | Stand alone                        | Audible                      | HW-2, B-6  | No | No | No | 1 (Kitchen) |
| 108 East College #2            | Stand alone                        | Audible                      | HW-1, B-5  | No | No | No | 1 (Kitchen) |
| 120 East College               | Stand alone                        | Audible                      | B-12       | No | No | No | 1 (Kitchen) |
| 143 West College<br>#1, 2E, 2W | Stand alone                        | Audible                      | HW-1, B-5  | No | No | No | 1 (Kitchen) |
| 149 West College               | Stand alone                        | Audible                      | B-7        | No | No | No | 1 (Kitchen) |
| 190 West College #<br>2        | Stand alone                        | Audible                      | HW-2, B-3  | No | No | No | 1 (Kitchen) |

|   |                   |         |   |     |                                |    |                     |
|---|-------------------|---------|---|-----|--------------------------------|----|---------------------|
| 140 North Main  | Stand alone       | Audible | B-6, B-2, B-2                               | No  | No                             | No | 1 (Kitchen)         |
| 148 North Main  | Stand alone       | Audible | B-9   | No  | No                             | No | 1 (Kitchen)         |
| 168 North Main #1 and # 2   | Stand alone       | Audible | B-1   | No  | No                             | No | 1 (Kitchen)         |
| 12 North Pleasant   | Stand alone       | Audible | B-1   | No  | No                             | No | 1 (Kitchen)         |
| 16 North Pleasant   | Stand alone       | Audible | B-1   | No  | No                             | No | 1 (Kitchen)         |
| 40 North Pleasant   | Stand alone       | Audible | B-8   | No  | No                             | No | 1 (Kitchen)         |
| 41 North Pleasant   | Stand alone       | Audible | B-4   | No  | No                             | No | 1 (Kitchen)         |
| 62 North Pleasant   | Stand alone       | Audible | B-3   | No  | No                             | No | 1 (Kitchen)         |
| 66 North Pleasant   | Stand alone       | Audible | B-5   | No  | No                             | No | 1 (Kitchen)         |
| 70 North Pleasant   | Stand alone       | Audible | B-6, HW-2                                   | No  | No                             | No | 1 (Kitchen)         |
| 76 North Pleasant   | Stand alone       | Audible | B-5   | No  | No                             | No | 1 (Kitchen)         |
| 61 Willard Court  | Stand alone       | Audible | B-5   | No  | No                             | No | 1 (Kitchen)         |
| <b>Firelands Apartments</b><br>36 South Pleasant  | Addressable Panel | Yes     | Residential Rooms, Mechanical, Common Areas | Yes | Wet Pipe Water Flow Protection |    | 1 (in each Kitchen) |
| <b>Union Street Apartments</b><br>96,102,110,118,126 Union and<br>268, 270,272, 276,284,290 Goldsmith | Addressable Panel | Yes     | Residential Rooms, Mechanical, Common Areas | Yes | Wet Pipe Water Flow Protection |    | 1 (in each kitchen) |

## **Fire Alarm Drills**

Ohio Fire Administrative Code 1301:7-7-04 Emergency Planning and Preparedness requires fire drills for all occupants in college and university (residential hall) Group R-2 buildings, per Section 405. College Residence Halls fall within this requirement and they, along with College Village Housing units located at Firelands apartments, complete Emergency Evacuation Drills:

- Campus Safety Officers perform approximately two fire and evacuation drills per semester during the Fall and Spring Semesters. An additional summer drill may be performed when summer conference attendance indicates, especially where children's camps are in residence.
- Drills are held at unexpected times and under varying conditions to simulate the unusual conditions in case of fire.
- Records are maintained of required emergency evacuation drills and are made available to the Fire Department upon their request.
- Records of fire drills include the following information:
  - Identity of the person conducting the drill
  - Date and time of the drill
  - Notification method used
  - Staff members on duty and participating in the drill
  - Number of occupants evacuated
  - Special conditions simulated
  - Any problems encountered
  - Weather conditions when occupants were evacuated
  - The time required to accomplish the evacuation
- Emergency evacuation drills are initiated by activating the fire alarm system in the building involved.
- As building occupants arrive at the assembly point, efforts are made to determine if all occupants have been successfully evacuated or accounted for.

During at least one fire alarm drill per year, the first drill is usually completed within ten days of Fall Semester start-up. An official of the Oberlin Fire Department is invited to participate in fire safety education and instruction at the scene of the fire drill evacuation. This is for all occupants, students and employees living within the Residence Halls.

Apartment-style College Village Housing does not fall within this requirement for Fire Alarm Drills, and the nature of the required smoke detectors for apartment-style living does not permit an unannounced fire evacuation drill. Instead, students are given information about fire safety and building evacuation once a year, during the Fall Semester, to raise their awareness of fire safety evacuation practices.

Fire evacuation drills are completed four times per year in Firelands Housing and 137 Elm Street and twice a year in Union Street Housing units

Oberlin College continually looks to see if future improvements are needed in fire safety.

## **Oberlin College Smoking Policy**

The General Faculty voted to adopt the following policy regarding a campus-wide smoking ban in the fall of 1993:

Oberlin College has enacted a policy to limit smoking on campus by its faculty, staff, students, and visitors to outdoor areas away from building entrances and exits. Smoking is banned at all times in all campus buildings, including libraries, offices, residence halls, cooperative housing units, and designated village housing units, dining rooms, laboratories, classrooms, lounges, etc. Smoking is banned at all times in all campus buildings and college-owned vehicles. Violators may be reported to building representatives or to the office of Campus Safety. Each community member is responsible for understanding the smoking policy and is encouraged to educate their peers.

Smokers must stand far enough away from entrances, exits, and intake vents so people do not have to pass through the smoke to enter or leave or smell smoke from vents while within the building. Employees and visitors must smoke at least 30 feet away from doors and vents. (Enacted in the Department of Human Resources 11/01/93; Revised 06/20/07, 09/04/08.) In 2011 the Mudd Library building began applying fines to those smokers identified as closer to the building entrances than allowed. In 2013-2014 Electronic cigarettes were added to the ban of smoking within Oberlin College buildings.

On July 01, 2016, Oberlin College instituted a smoke-free campus that covered the entire Oberlin College campus except for Tappan Square. This area will remain permissible for smoking. It was reviewed in the spring of 2019, and smoking will still be permitted in Tappan Square. The college provided signs, tabletops, announcements, and mailings to ensure that all members of the Oberlin community and its visitors were aware of the smoke-free campus.

## **Residential Hall Fire Safety Policies and Rules**

In addition to the College Smoking Policy, *Student Conduct Resources and Campus Policies* are made available to first-year students at the beginning of the Fall semester. These policies can be found on the college website at <https://www.oberlin.edu/dean-of-students/student-conduct/resources>. Additional information regarding fire safety and items not permitted in college housing follow.

**Dangerous Weapons, Fireworks, or Explosives.** Because of the danger posed to the college community, possession of dangerous weapons, fireworks, or explosives on college property is expressly forbidden. Definition of these items includes, but is not limited to, the following: firearms (to include BB guns and all other types of air or spring-powered weapons), knives, firecrackers or sparklers, gunpowder, dangerous instruments (including lock-picking devices), and unstable and hazardous chemicals, except for those stored and used in the appropriate laboratory facilities.

**Fire Escapes.** The fire escapes on any college building are for emergency purposes only. Any non-emergency use is expressly forbidden and will be considered an act of trespass.

## **Fire Safety Policy for Village Housing**

All on-campus residents must abide by state, local, and college regulations regarding fire safety. Failure to comply with these regulations jeopardizes the safety of others and may result in fines, judicial action, and/or eviction.

- Residents may not limit access to or block fire escapes, room windows, and doors, or other exits with furniture or other obstacles/objects.
- Excessive wall coverings to include posters, tapestries, flags, and pictures are not permitted. (No more than 20% of any wall surface may be covered).
- Basement and attic access is prohibited, regardless of whether the college has locked off the spaces.
- The ovens and stovetops must be kept clean of grease build-up.
- Smoke detectors are located in each apartment and/or house. Smoke detectors are never to be tampered with or covered.)
- Porches and yards, especially in the front of the house/apartment, must remain free of trash, interior furnishings, and generalized clutter.

Please see the *Student Conduct Resources and Campus Policies* that can be found at <https://www.oberlin.edu/dean-of-students/student-conduct/resources>. The Village Housing Handbook may be found at <oberlin.edu/housing/options/village>

**Residential Life Safety Policy.** Residents agree to abide by state, local, and college regulations regarding fire, safety, and sanitation as stated within the below Regulations. Failure to comply with these regulations jeopardizes the safety of self and others and may result in judicial action and/or fines.

- **Equipment.** Tampering with, misuse of, or vandalism to life-safety equipment in any college building is a violation of state law. Equipment includes but is not limited to fire extinguishers, heat sensors, pull station boxes, fire doors, exit signs, smoke detectors, door closers, and fire hoses. Causing a false fire alarm to sound may result in disciplinary action. Evacuation from the building by all residents is required when the fire alarm sounds. The fire escapes on any college building are for emergency purposes only. Any non-emergency use is expressly forbidden and will be considered an act of trespass. Tampering with Life Safety Equipment is addressed within the college with fines up to and including \$300.00 and probation through Judicial Sanction, plus the cost of repair or replacement. These fines, costs, and any judicial sanctions will be in addition to any criminal or civil application of penalties.
- **Egress from rooms.** Fire escapes, room windows, and other means of egress may not be blocked by furniture or other obstacles. Items may not block or limit access to the door, window or fire escape of any building.
- **Door closures/smoke detectors/evacuation signs.** Removing, covering, or tampering with automatic door closers, smoke detectors, and/or evacuation signs is prohibited.
- **Housekeeping.** Excessive accumulation of paper and/or clothing on the floor(s) may constitute a fire hazard and/ or pest concern. If the state of a student's room is determined to be a hazard or concerning, they will be given a notice to correct the situation. Failure to do so within 24 hours may result in judicial action.
- **Prohibited and Regulated Items:**



- **Electrical appliances.** Air conditioners(unless provided by the college) and cooking appliances, including microwave ovens, immersion heaters, popcorn poppers, hot plates, and water heaters are prohibited from use in students' residence hall rooms. Electrical appliances permitted in all college housing include TVs, radios, stereos, telephones, fans, personal computers, hairdryers, curling and clothing irons, coffee makers/pots with automatic shutoff features..
- **Wall Hangings.** Excessive wall coverings are prohibited; no more than 20% of the wall surface may be covered. Canopy arrangements and hangings from the ceiling are prohibited.
- **Refrigerators.** Only one refrigerator per room is allowed in college housing. Divided doubles are considered one room. The capacity of refrigerators may not exceed five cubic feet except for refrigerators provided by the college in Village Housing.
- **Grounded extension cords.** Extension cords must be grounded and should be protected with fuse devices (surge protectors) throughout college housing.
- **Combustible materials.** The presence of combustible materials, including but not limited to gasoline, kerosene, paints, and thinners, or of poisonous or hazardous chemicals, or fireworks or explosives, is prohibited throughout college housing.
- **Electric blankets.** Electric mattress pad covers and electric blankets are prohibited in college housing.
- **High-wattage lamps.** The use of halogen lamps or light bulbs of higher wattage than the specified rating in the light fixture is prohibited throughout college housing.
- **Portable heaters.** Use of electric heaters(unless provided by the college), kerosene, or other types of portable space heaters is prohibited in college housing.
- **Non-flammable waste containers.** Only flame retardant wastebaskets are permitted in college housing.
- **Furnishings.** Water beds and other pieces of water-filled furniture are not permitted in college housing. In addition, wooden structures, including lofts and room dividers, are prohibited. Curtains, blinds, and/or window treatments other than those provided by the college are prohibited.
- **Bicycles.** Bicycles may be stored in individual student rooms in college housing if they do not block egress. Motorized bicycles or motorcycles may not be stored in any facility. Motorcycles and motorized bicycles found in college housing or other facilities will be removed at the owner's expense.
- **Decorations.** The presence of burned candles, incense, or anything with an open flame, even for religious purposes, is not allowed in college housing. In addition, live or cut trees, live wreaths, and/or artificial trees over four feet tall are prohibited in college housing.

Housing and Dining Regulation violations are heard by the Residential Life Deans and Area Coordinators. Penalties for violations may be educational, can include fines up to \$300 and probation, plus repair or replacement costs (for tampering with life safety equipment, i.e., fire extinguishers, smoke detectors, etc.) and can result in dismissal from college housing in cases of cumulative disciplinary history or damage to college housing, property, and in response to facility emergencies resulting from fire, water, or weather damage. Students may be required to vacate college housing until a hearing on the

matter is held according to *Student Conduct Resources and Campus Policies*. In 2014, the City of Oberlin began enforcing fines in City Ordinance for repeat responses to nuisance fire alarms. Consequently, the judicial process for causes of fire alarms in residence halls are reviewed by a judicial coordinator who meets with students identified as possibly causing nuisance fire alarms for consideration of educational approaches and fines related to their activity which caused an alarm.

## **Fire Evacuation Procedures**

Residents should be familiar with fire evacuation plans posted on the inside of their residence hall door and familiarize themselves with two evacuation routes from their rooms and common spaces within their residence halls. General recommendations for responding to a fire emergency include:

- Activate the nearest fire alarm pull station if the fire alarm is not already sounding.
- Call Emergency 911, then Campus Safety at (440) 775-8911 or Ext 58911.
- Notify occupants and help those needing assistance in the immediate area.
- Confine the fire by closing doors as you exit.
- Evacuate the building at the nearest exit and account for others you know are present.
- Do not re-enter the building until authorized to do so by emergency personnel.

When a resident hears the building's fire alarm, they are expected to:

- Immediately exit the building, closing the room door. Evacuation is mandatory.
- Use stairs; do not use elevators
- Take personal belongings (ID, keys, purse, and wallet) and dress appropriately for the weather.
- If the door handle is warm to the touch, or there is smoke in the hallway, stay in the room with the door closed, call 911, and attract attention at a window.
- If smoke is present an alternative is to crawl along the floor or stairs where the air is fresher.
- Move all personnel to a safe area, away from the building in danger, and report what you know about the presence of others still in the building.

Students who live in Village Housing units with stand-alone fire alarm systems (systems that do not automatically notify a monitoring agency to report a fire) should report any fire incident by phoning Emergency 911.

- Know in advance at least two avenues of exit from your room.
- Notify other occupants there is a fire as you exit.
- Confine the fire by closing doors as you exit.
- Evacuate the building at the nearest exit and account for others you know are present.
- Do not re-enter the building until authorized to do so by emergency personnel.

## **Fire Safety Education**

Fire safety evacuation procedures are presented during the first fire evacuation drill of the academic year, presented during the first ten days of class by Campus Safety Supervisors and officers performing the fire drill. Information is also distributed in passive education through instructions for evacuation on the interior of Residential Hall room doors, in emergency procedures distributed in the *Student Conduct*

*Resources and Campus Policies*, in the College Village and Off Campus Housing handbooks, through a pamphlet distributed to Commencement and Conference residents, and through literature distributed during orientation and other select times deemed appropriate. Residential Education in-hall programming includes presentations by Oberlin Fire Department, when requested by the hall, and educational programs targeting life skills such as cooking safety.

Residential Life and other student employers, such as the Student Union Office, invite presentations by the Oberlin Fire Department in fire safety, evacuation procedures, and use of fire extinguishers during their annual training preceding Fall Semester. The Environmental Health and Safety Manager sponsors select training for Facilities Operations staff. The fire alarm contractor (Simplex-Grinnell-Tyco) presents training and information relating to the operation and maintenance of the fire alarm systems on campus to Campus Safety staff and to college electricians.

Residential Life staff present materials in all residential halls outlining safe practices and prohibited items. Through Life Safety Inspections, the staff educate community members in responsible practices relating to materials and items that contribute to safe living. Information about Life Safety inspections and related policies and practices is presented through hall meetings, videos, and emails distributed by professional and student staff prior to inspections. Policy violations found during inspections are removed immediately or corrected by students within 48 hours of their discovery. Follow-up on violations includes reinspection and can include the conduct hearing process depending on severity. Judicial review and sanctions for fire safety violations are based on education in fire safety practices and utilize a FEMA fire safety film and assignment of written research papers as well as monetary fines.

Students who apply to live in College Village Housing or ask to be released off-campus, attend a seminar or orientation session where pertinent information on fire safety is given (how fire alarm devices operate and fire evacuations for Village Housing; general fire safety information for off-campus apartment searches).

Any member of the Oberlin College community may request fire safety information pamphlets and programming by contacting any Campus Safety Officer or through the Campus Safety Office.

The Oberlin City Fire Department website [Oberlin Fire Department](#) offers educational information, including Residential Hall Fire Safety information. The Oberlin Fire Department, located at 430 South Main Street, may be contacted during administrative hours, Monday through Friday, at 440-774-3211 for information on fire safety, emergency preparedness, and permissions.

## **Oberlin College Annual Fire Safety Report**

Oberlin College maintains on-campus student housing and collects fire statistics, published in this 2023 Oberlin College Annual Fire Safety Report. The statistics published in this report are for the calendar years 2020, 2021, and 2022.

For purposes of fire safety reporting, a fire is *“Any instance of open flame or other burning in a place not intended to contain the burning or in an uncontrolled manner.”*

The Cause Categories fall within the following information:

- *Unintentional Fire*
  - Cooking
  - Smoking materials
  - Open flames
  - Electrical
  - Heating equipment
  - Hazardous products
  - Machinery / Industrial
  - Natural
  - Other
- *Intentional Fire*
- *Undetermined Fire*

### **Fire Statistics for On-Campus Housing Facilities**

|                            | 2020         |                 |               | 2021         |                 |               | 2022         |                 |               |                        |
|----------------------------|--------------|-----------------|---------------|--------------|-----------------|---------------|--------------|-----------------|---------------|------------------------|
| <i>Name of Facility</i>    | <i>Fires</i> | <i>Injuries</i> | <i>Deaths</i> | <i>Fires</i> | <i>Injuries</i> | <i>Deaths</i> | <i>Fires</i> | <i>Injuries</i> | <i>Deaths</i> | <i>Cost of Damages</i> |
| Allencroft                 | 0            | 0               | 0             | 0            | 0               | 0             | <b>0</b>     | <b>0</b>        | <b>0</b>      | <b>0</b>               |
| Asia House<br>(Quadrangle) | 0            | 0               | 0             | 0            | 0               | 0             | <b>0</b>     | <b>0</b>        | <b>0</b>      | <b>0</b>               |
| Bailey House               | 0            | 0               | 0             | 0            | 0               | 0             | <b>0</b>     | <b>0</b>        | <b>0</b>      | <b>0</b>               |
| Baldwin Cottage            | 0            | 0               | 0             | 0            | 0               | 0             | <b>0</b>     | <b>0</b>        | <b>0</b>      | <b>0</b>               |
| Barnard House              | 0            | 0               | 0             | 0            | 0               | 0             | <b>0</b>     | <b>0</b>        | <b>0</b>      | <b>0</b>               |

|                         | 2020         |                 |               | 2021         |                 |               | 2022         |                 |               |                        |
|-------------------------|--------------|-----------------|---------------|--------------|-----------------|---------------|--------------|-----------------|---------------|------------------------|
| <i>Name of Facility</i> | <i>Fires</i> | <i>Injuries</i> | <i>Deaths</i> | <i>Fires</i> | <i>Injuries</i> | <i>Deaths</i> | <i>Fires</i> | <i>Injuries</i> | <i>Deaths</i> | <i>Cost of Damages</i> |
| Barrows Hall            | 0            | 0               | 0             | 0            | 0               | 0             | <b>0</b>     | <b>0</b>        | <b>0</b>      | <b>0</b>               |
| Burton Hall             | 0            | 0               | 0             | 0            | 0               | 0             | <b>0</b>     | <b>0</b>        | <b>0</b>      | <b>0</b>               |
| Dascomb Hall            | 1            | 0               | 0             | 0            | 0               | 0             | <b>0</b>     | <b>0</b>        | <b>0</b>      | <b>\$0</b>             |
| East Hall               | 0            | 0               | 0             | 0            | 0               | 0             | <b>0</b>     | <b>0</b>        | <b>0</b>      | <b>0</b>               |
| Fairchild House         | 0            | 0               | 0             | 0            | 0               | 0             | <b>0</b>     | <b>0</b>        | <b>0</b>      | <b>0</b>               |
| Firelands               | 0            | 0               | 0             | 1            | 0               | 0             | <b>0</b>     | <b>0</b>        | <b>0</b>      | <b>\$0</b>             |
| Harkness House          | 0            | 0               | 0             | 0            | 0               | 0             | <b>0</b>     | <b>0</b>        | <b>0</b>      | <b>0</b>               |
| Harvey House            | 0            | 0               | 0             | 0            | 0               | 0             | <b>0</b>     | <b>0</b>        | <b>0</b>      | <b>0</b>               |
| Johnson House           | 0            | 0               | 0             | 0            | 0               | 0             | <b>0</b>     | <b>0</b>        | <b>0</b>      | <b>0</b>               |
| Kade House              | 0            | 0               | 0             | 0            | 0               | 0             | <b>0</b>     | <b>0</b>        | <b>0</b>      | <b>0</b>               |
| Kahn Hall               | 0            | 0               | 0             | 0            | 0               | 0             | <b>0</b>     | <b>0</b>        | <b>0</b>      | <b>0</b>               |

|                         | 2020         |                 |               | 2021         |                 |               | 2022         |                 |               |                        |
|-------------------------|--------------|-----------------|---------------|--------------|-----------------|---------------|--------------|-----------------|---------------|------------------------|
| <i>Name of Facility</i> | <i>Fires</i> | <i>Injuries</i> | <i>Deaths</i> | <i>Fires</i> | <i>Injuries</i> | <i>Deaths</i> | <i>Fires</i> | <i>Injuries</i> | <i>Deaths</i> | <i>Cost of Damages</i> |
| Keep Cottage            | 0            | 0               | 0             | 0            | 0               | 0             | <b>0</b>     | <b>0</b>        | <b>0</b>      | <b>0</b>               |
| Langston Hall           | 0            | 0               | 0             | 0            | 0               | 0             | <b>0</b>     | <b>0</b>        | <b>0</b>      | <b>0</b>               |
| Lord-Saunders           | 0            | 0               | 0             | 0            | 0               | 0             | <b>0</b>     | <b>0</b>        | <b>0</b>      | <b>0</b>               |
| Noah Hall               | 0            | 0               | 0             | 0            | 0               | 0             | <b>0</b>     | <b>0</b>        | <b>0</b>      | <b>0</b>               |
| Old Barrows             | 0            | 0               | 0             | 0            | 0               | 0             | <b>0</b>     | <b>0</b>        | <b>0</b>      | <b>0</b>               |
| Price House             | 0            | 0               | 0             | 0            | 0               | 0             | <b>0</b>     | <b>0</b>        | <b>0</b>      | <b>0</b>               |
| South Hall              | 0            | 0               | 0             | 0            | 0               | 0             | <b>0</b>     | <b>0</b>        | <b>0</b>      | <b>0</b>               |
| Talcott Hall            | 0            | 0               | 0             | 1            | 0               | 0             | <b>0</b>     | <b>0</b>        | <b>0</b>      | <b>\$0</b>             |
| Tank Hall               | 0            | 0               | 0             | 0            | 0               | 0             | <b>0</b>     | <b>0</b>        | <b>0</b>      | <b>0</b>               |
| Zechiel House           | 0            | 0               | 0             | 0            | 0               | 0             | <b>0</b>     | <b>0</b>        | <b>0</b>      | <b>0</b>               |

**Village  
Housing:**

---

|                         | 2020         |                 |               | 2021         |                 |               | 2022         |                 |               |                        |
|-------------------------|--------------|-----------------|---------------|--------------|-----------------|---------------|--------------|-----------------|---------------|------------------------|
| <i>Name of Facility</i> | <i>Fires</i> | <i>Injuries</i> | <i>Deaths</i> | <i>Fires</i> | <i>Injuries</i> | <i>Deaths</i> | <i>Fires</i> | <i>Injuries</i> | <i>Deaths</i> | <i>Cost of Damages</i> |
| 20 East Lorain          | 0            | 0               | 0             | 0            | 0               | 0             | 0            | 0               | 0             | 0                      |
| 22 East Lorain          | 0            | 0               | 0             | 0            | 0               | 0             | 0            | 0               | 0             | 0                      |
| 61 East Lorain          | 0            | 0               | 0             | 0            | 0               | 0             | 0            | 0               | 0             | 0                      |
| 68 Elmwood              | 0            | 0               | 0             | 0            | 0               | 0             | 0            | 0               | 0             | 0                      |
| 75 Elmwood              | 0            | 0               | 0             | 0            | 0               | 0             | 0            | 0               | 0             | 0                      |
| 83 Elmwood              | 0            | 0               | 0             | 0            | 0               | 0             | 0            | 0               | 0             | 0                      |
| 84 Elmwood              | 0            | 0               | 0             | 0            | 0               | 0             | 0            | 0               | 0             | 0                      |
| 137 Elm                 | 0            | 0               | 0             | 0            | 0               | 0             | 0            | 0               | 0             | 0                      |
| 148/150 Elm             | 0            | 0               | 0             | 0            | 0               | 0             | 0            | 0               | 0             | 0                      |
| 37 Elmwood Place        | 0            | 0               | 0             | 0            | 0               | 0             | 0            | 0               | 0             | 0                      |
| 15 North Cedar          | 0            | 0               | 0             | 0            | 0               | 0             | 0            | 0               | 0             | 0                      |
| 35 North Cedar          | 0            | 0               | 0             | 0            | 0               | 0             | 0            | 0               | 0             | 0                      |
| 45 North Cedar          | 0            | 0               | 0             | 0            | 0               | 0             | 0            | 0               | 0             | 0                      |
| 51 North Cedar          | 0            | 0               | 0             | 0            | 0               | 0             | 0            | 0               | 0             | 0                      |

|                          | 2020         |                 |               | 2021         |                 |               | 2022         |                 |               |                        |
|--------------------------|--------------|-----------------|---------------|--------------|-----------------|---------------|--------------|-----------------|---------------|------------------------|
| <i>Name of Facility</i>  | <i>Fires</i> | <i>Injuries</i> | <i>Deaths</i> | <i>Fires</i> | <i>Injuries</i> | <i>Deaths</i> | <i>Fires</i> | <i>Injuries</i> | <i>Deaths</i> | <i>Cost of Damages</i> |
| 78 South Professor       | 0            | 0               | 0             | 0            | 0               | 0             | <b>0</b>     | <b>0</b>        | <b>0</b>      | <b>0</b>               |
| 148 South Professor      | 0            | 0               | 0             | 0            | 0               | 0             | <b>0</b>     | <b>0</b>        | <b>0</b>      | <b>0</b>               |
| 195 North Professor      | 0            | 0               | 0             | 0            | 0               | 0             | <b>0</b>     | <b>0</b>        | <b>0</b>      | <b>0</b>               |
| 201 North Professor      | 0            | 0               | 0             | 0            | 0               | 0             | <b>0</b>     | <b>0</b>        | <b>0</b>      | <b>0</b>               |
| 270 North Professor      | 0            | 0               | 0             | 0            | 0               | 0             | <b>0</b>     | <b>0</b>        | <b>0</b>      | <b>0</b>               |
| 284 North Professor      | 0            | 0               | 0             | 0            | 0               | 0             | <b>0</b>     | <b>0</b>        | <b>0</b>      | <b>0</b>               |
| 135 West College         | 0            | 0               | 0             | 0            | 0               | 0             | <b>0</b>     | <b>0</b>        | <b>0</b>      | <b>0</b>               |
| 149 West College         | 0            | 0               | 0             | 0            | 0               | 0             | <b>0</b>     | <b>0</b>        | <b>0</b>      | <b>0</b>               |
| 186 West College #1 & #2 | 0            | 0               | 0             | 0            | 0               | 0             | <b>0</b>     | <b>0</b>        | <b>0</b>      | <b>0</b>               |
| 190 West College         | 0            | 0               | 0             | 0            | 0               | 0             | <b>0</b>     | <b>0</b>        | <b>0</b>      | <b>0</b>               |
| 200 West College         | 0            | 0               | 0             | 0            | 0               | 0             | <b>0</b>     | <b>0</b>        | <b>0</b>      | <b>0</b>               |



|                         | 2020         |                 |               | 2021         |                 |               | 2022         |                 |               |                        |
|-------------------------|--------------|-----------------|---------------|--------------|-----------------|---------------|--------------|-----------------|---------------|------------------------|
| <i>Name of Facility</i> | <i>Fires</i> | <i>Injuries</i> | <i>Deaths</i> | <i>Fires</i> | <i>Injuries</i> | <i>Deaths</i> | <i>Fires</i> | <i>Injuries</i> | <i>Deaths</i> | <i>Cost of Damages</i> |
| 152 West Lorain         | 0            | 0               | 0             | 0            | 0               | 0             | <b>0</b>     | <b>0</b>        | <b>0</b>      | <b>0</b>               |
| 158 West Lorain         | 0            | 0               | 0             | 0            | 0               | 0             | <b>0</b>     | <b>0</b>        | <b>0</b>      | <b>0</b>               |
| 108 Woodland            | 0            | 0               | 0             | 0            | 0               | 0             | <b>0</b>     | <b>0</b>        | <b>0</b>      | <b>0</b>               |
| 116 Woodland            | 0            | 0               | 0             | 0            | 0               | 0             | <b>0</b>     | <b>0</b>        | <b>0</b>      | <b>0</b>               |
| 124 Woodland            | 0            | 0               | 0             | 0            | 0               | 0             | <b>0</b>     | <b>0</b>        | <b>0</b>      | <b>0</b>               |
| 136 Woodland            | 0            | 0               | 0             | 0            | 0               | 0             | <b>0</b>     | <b>0</b>        | <b>0</b>      | <b>0</b>               |
| 142 Woodland            | 0            | 0               | 0             | 0            | 0               | 0             | <b>0</b>     | <b>0</b>        | <b>0</b>      | <b>0</b>               |
| 148 Woodland            | 0            | 0               | 0             | 0            | 0               | 0             | <b>0</b>     | <b>0</b>        | <b>0</b>      | <b>0</b>               |
| 152 Woodland            | 0            | 0               | 0             | 0            | 0               | 0             | <b>0</b>     | <b>0</b>        | <b>0</b>      | <b>0</b>               |
| 160 Woodland            | 0            | 0               | 0             | 0            | 0               | 0             | <b>0</b>     | <b>0</b>        | <b>0</b>      | <b>0</b>               |
| 166 Woodland            | 0            | 0               | 0             | 0            | 0               | 0             | <b>0</b>     | <b>0</b>        | <b>0</b>      | <b>0</b>               |
| 170 Woodland            | 0            | 0               | 0             | 0            | 0               | 0             | <b>0</b>     | <b>0</b>        | <b>0</b>      | <b>0</b>               |
|                         |              |                 |               |              |                 |               |              |                 |               |                        |
|                         |              |                 |               |              |                 |               |              |                 |               |                        |

|                                | 2020         |                 |               | 2021         |                 |               | 2022         |                 |               |                        |
|--------------------------------|--------------|-----------------|---------------|--------------|-----------------|---------------|--------------|-----------------|---------------|------------------------|
| <i>Name of Facility</i>        | <i>Fires</i> | <i>Injuries</i> | <i>Deaths</i> | <i>Fires</i> | <i>Injuries</i> | <i>Deaths</i> | <i>Fires</i> | <i>Injuries</i> | <i>Deaths</i> | <i>Cost of Damages</i> |
| 64 East College # 1 and #2     | 0            | 0               | 0             | 0            | 0               | 0             | <b>0</b>     | <b>0</b>        | <b>0</b>      | <b>0</b>               |
| 108 East College #1,#2, and #3 | 0            | 0               | 0             | 0            | 0               | 0             | <b>0</b>     | <b>0</b>        | <b>0</b>      | <b>0</b>               |
| 120 East College               | 0            | 0               | 0             | 0            | 0               | 0             | <b>0</b>     | <b>0</b>        | <b>0</b>      | <b>0</b>               |
| 143 West College               | 0            | 0               | 0             | 0            | 0               | 0             | <b>0</b>     | <b>0</b>        | <b>0</b>      | <b>0</b>               |
| 149 West College               | 0            | 0               | 0             | 0            | 0               | 0             | <b>0</b>     | <b>0</b>        | <b>0</b>      | <b>0</b>               |
| 190 West College # 2           | 0            | 0               | 0             | 0            | 0               | 0             | <b>0</b>     | <b>0</b>        | <b>0</b>      | <b>0</b>               |
| 140 North Main                 | 0            | 0               | 0             | 0            | 0               | 0             | <b>0</b>     | <b>0</b>        | <b>0</b>      | <b>0</b>               |
| 148 North Main                 | 0            | 0               | 0             | 0            | 0               | 0             | <b>0</b>     | <b>0</b>        | <b>0</b>      | <b>0</b>               |
| 168 North Main #1 and # 2      | 0            | 0               | 0             | 0            | 0               | 0             | <b>0</b>     | <b>0</b>        | <b>0</b>      | <b>0</b>               |
| 183 North Main                 | 0            | 0               | 0             | 0            | 0               | 0             | <b>0</b>     | <b>0</b>        | <b>0</b>      | <b>0</b>               |
| 12 North Pleasant              | 0            | 0               | 0             | 0            | 0               | 0             | <b>0</b>     | <b>0</b>        | <b>0</b>      | <b>0</b>               |
| 16 North Pleasant              | 0            | 0               | 0             | 0            | 0               | 0             | <b>0</b>     | <b>0</b>        | <b>0</b>      | <b>0</b>               |

|                         | 2020         |                 |               | 2021         |                 |               | 2022         |                 |               |                        |
|-------------------------|--------------|-----------------|---------------|--------------|-----------------|---------------|--------------|-----------------|---------------|------------------------|
| <i>Name of Facility</i> | <i>Fires</i> | <i>Injuries</i> | <i>Deaths</i> | <i>Fires</i> | <i>Injuries</i> | <i>Deaths</i> | <i>Fires</i> | <i>Injuries</i> | <i>Deaths</i> | <i>Cost of Damages</i> |
| 40 North Pleasant       | 0            | 0               | 0             | 0            | 0               | 0             | <b>0</b>     | <b>0</b>        | <b>0</b>      | <b>0</b>               |
| 41 North Pleasant       | 0            | 0               | 0             | 0            | 0               | 0             | <b>0</b>     | <b>0</b>        | <b>0</b>      | <b>0</b>               |
| 62 North Pleasant       | 0            | 0               | 0             | 0            | 0               | 0             | <b>0</b>     | <b>0</b>        | <b>0</b>      | <b>0</b>               |
| 66 North Pleasant       | 0            | 0               | 0             | 0            | 0               | 0             | <b>0</b>     | <b>0</b>        | <b>0</b>      | <b>0</b>               |
| 70 North Pleasant       | 0            | 0               | 0             | 0            | 0               | 0             | <b>0</b>     | <b>0</b>        | <b>0</b>      | <b>0</b>               |
| 76 North Pleasant       | 0            | 0               | 0             | 0            | 0               | 0             | <b>0</b>     | <b>0</b>        | <b>0</b>      | <b>0</b>               |
| 61 Willard Court        | 0            | 0               | 0             | 0            | 0               | 0             | <b>0</b>     | <b>0</b>        | <b>0</b>      | <b>0</b>               |
| 268 Goldsmith           | 0            | 0               | 0             | 0            | 0               | 0             | <b>0</b>     | <b>0</b>        | <b>0</b>      | <b>0</b>               |
| 270 Goldsmith           | 0            | 0               | 0             | 0            | 0               | 0             | <b>0</b>     | <b>0</b>        | <b>0</b>      | <b>0</b>               |
| 272 Goldsmith           | 0            | 0               | 0             | 0            | 0               | 0             | <b>0</b>     | <b>0</b>        | <b>0</b>      | <b>0</b>               |
| 276 Goldsmith           | 0            | 0               | 0             | 0            | 0               | 0             | <b>0</b>     | <b>0</b>        | <b>0</b>      | <b>0</b>               |
| 284 Goldsmith           | 0            | 0               | 0             | 0            | 0               | 0             | <b>0</b>     | <b>0</b>        | <b>0</b>      | <b>0</b>               |
| 290 Goldsmith           | 0            | 0               | 0             | 0            | 0               | 0             | <b>0</b>     | <b>0</b>        | <b>0</b>      | <b>0</b>               |

|                         | 2020         |                 |               | 2021         |                 |               | 2022         |                 |               |                        |
|-------------------------|--------------|-----------------|---------------|--------------|-----------------|---------------|--------------|-----------------|---------------|------------------------|
| <i>Name of Facility</i> | <i>Fires</i> | <i>Injuries</i> | <i>Deaths</i> | <i>Fires</i> | <i>Injuries</i> | <i>Deaths</i> | <i>Fires</i> | <i>Injuries</i> | <i>Deaths</i> | <i>Cost of Damages</i> |
| 96 Union                | 0            | 0               | 0             | 0            | 0               | 0             | 0            | 0               | 0             | 0                      |
| 102 Union               | 0            | 0               | 0             | 0            | 0               | 0             | 0            | 0               | 0             | 0                      |
| 110 Union               | 0            | 0               | 0             | 0            | 0               | 0             | 0            | 0               | 0             | 0                      |
| 118 Union               | 0            | 0               | 0             | 0            | 0               | 0             | 0            | 0               | 0             | 0                      |
| 118 Union               | 0            | 0               | 0             | 0            | 0               | 0             | 0            | 0               | 0             | 0                      |
| 197 West Lorain*        | 0            | 0               | 0             | 0            | 0               | 0             | 0            | 0               | 0             | 0                      |
| 258 North Professor*    | 0            | 0               | 0             | 0            | 0               | 0             | 0            | 0               | 0             | 0                      |

**Totals**    1        0        0        2        0        0        0        0        0

**Fires – On-campus Student Housing Facilities**

**Below is the required data for each fire in an On-campus Student Housing Facility:**

Firelands Hall apartment fourth floor. Oven mitt was accidentally in the stove and caught fire. Mitt caught fire, was stamped out by the student and placed in the bathtub with water poured over it. No injuries, no deaths, and no cost for damage. Dormitory, July 21, 2021 at 10:40am

Talcott Hall dining area first floor. Cardboard under a food warmer on a table caught fire. Extinguished by the server. No injuries, no deaths, and no cost for damage, Dormitory, November 5, 2021 at 6:34pm.

Dascomb Hall second floor kitchenette. The drip pan inside of the stove had excess food on it that caught fire, no injuries, no deaths, no cost for damage. Dormitory; March 14, 2020, at 7:21 pm

### **Oberlin College Residential Hall Fire Log**

The Campus Safety Office maintains a Fire Log for Residential Housing Fires, recording the date of the report, the nature of the fire, the date and time of day the fire occurred, and the general location of the fire. The log is available for review at the Campus Safety office, 140 West College, Suite C, from 8:00 am - 4:30 pm, Monday through Friday, excluding holidays. The information in the fire log covers the most recent sixty days of residential fire reports and fulfills the public fire log requirement of the HEOA.